SEQUENCE LISTING

GENERAL INFORMATION:

- (i) APPLICANTS: RICHARD MARTIN BROGLIE LORIN ROGER DE BONTE WILLIAM DEAN HITZ GUO-HUA MIAO ROBERT STEFAN REITER
- (ii) TITLE OF INVENTION: GENES FOR MUTANT MICROSOMAL FATTY ACID DELTA-12 DESATURASES AND RELATED ENZYMES FROM PLANTS
- (iii) NUMBER OF SEQUENCES: 17
- CORRESPONDENCE ADDRESS: (iv)
 - (A) ADDRESSEE: E. I. DU PONT DE NEMOURS AND COMPANY
 - (B) STREET: 1007 MARKET STREET
 - (C) CITY: WILMINGTON (D) STATE: DELAWARE

 - (E) COUNTRY: U.S.A. (F) ZIP: 19898
- COMPUTER READABLE FORM: (v)
 - (A) MEDIUM TYPE: FLOPPY DISK
 - (B) COMPUTER: IBM PC COMPATIBLE
 - (C) OPERATING SYSTEM: MICROSOFT WINDOWS 95
 - (D) SOFTWARE: MICROSOFT OFFICE 97
- (vi) CURRENT APPLICATION DATA:
 - (A) APPLICATION NUMBER: 09/232,948
 - (B) FILING DATE: January 19, 1999
 - (C) CLASSIFICATION:
- PRIOR APPLICATION DATA: (vii)
 - (A) APPLICATION NUMBER: 08/256,047 (B) FILING DATE: NOVEMBER 17, 1992
- ATTORNEY/AGENT INFORMATION: (viii)
 - (A) NAME: Lynne M. Christenbury
 - (C) REFERENCE/DOCKET NUMBER: BB-1334-A
 - TELECOMMUNICATION INFORMATION: (ix)
 - (A) TELEPHONE: (302) 992-5481
 - (B) TELEFAX: (302) 892-7949 (C) TELEX:

(2)	Τ.	NEOR	MAI I	JIN E	JK 31	rQ II	J NO									
(i	•	SEQUI (A) (B) (C) (D)	LENC TYPE STRA	STH:	146 nucle ONESS	54 ba	ase pacid	pairs	5							
(ii) 1	MOLE	CULE	TYP	E: (cDNA										
(ix	•	FEATI (A) (B)	NAME	E/KEY		DS 130	1281	L								
(xi)	SEQUI	ENCE	DES	CRIP'	TION	: Si	EQ I	D NO	:1:						
GGCA	.CGA	GCT (CGTG	CCGA	T TA	CGGC	ACGA(G AGO	GAGA	CAGA	GAG	AGAG'	TTT (GAGG	AGGAGC	60
TTCT	TCG	rag (GGTT	CATC	GT TA	ATTA	ACGT:	r aa	ATCT	CAT	CCC	cccc'	TAC (GTCA	GCCAGC	120
TCAA	.GAA	AC AS Me				GT GO					al Se					168
AAA Lys												Cys				216
CCC Pro 30															-	264
AAA Lys																312
ATA Ile																360
CCT Pro																408
GGC Gly																456
CAC His 110																504
TTC Phe																552
CGA Arg																600
GTC Val																648

AAC CC Asn Pro	Leu														696
TGG CCT Trp Pro															744
GGC TTO															792
GAG CG															840
TAC GGT															888
TGC TTC Cys Phe 255	e Tyr														936
ATC ACT Ile Thi 270															984
TCT GAO Ser Glu															1032
TAC GGA															1080
GCG CAT															1128
ACG AAC Thr Lys	Ala														1176
ACG CCC Thr Pro 350															1224
GTG GAA Val Glu															1272
AAT AAC Asn Lys		TGA	AGCA	AAG A	AAGA <i>I</i>	AACTO	GA AC	CCTT	CTC	TC	TATG	ATTG			1321
TCTTTG	TTTA .	AGAA	GCTA'	rg T	TTCT	STTTC	C AA	TAAT	CTTA	ATTA	ATCC	ATT ?	TGT	rgtgtt	1381
TTCTGAG	CATT	TTGG	CTAA	AA T	ratg:	rgato	G TTC	GGAA	STTA	GTG	CTA	AAA A	AAAA.	AAAAA	1441
AAAAA	AAA.	AAAA	AAAA	AA AA	A.A										1464

(2) INFORMATION FOR SEQ ID NO:2:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 384 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:

Met Gly Ala Gly Gly Arg Met Gln Val Ser Pro Pro Ser Lys Lys Ser 1 5 10 15

Glu Thr Asp Asn Ile Lys Arg Val Pro Cys Glu Thr Pro Pro Phe Thr 20 25 30

Val Gly Glu Leu Lys Lys Ala Ile Pro Pro His Cys Phe Lys Arg Ser 35 40 45

Ile Pro Arg Ser Phe Ser Tyr Leu Ile Trp Asp Ile Ile Ile Ala Ser 50 55 60

Cys Phe Tyr Tyr Val Ala Thr Thr Tyr Phe Pro Leu Leu Pro His Pro 65 70 75 80

Leu Ser Tyr Phe Ala Trp Pro Leu Tyr Trp Ala Cys Gln Gly Cys Val 85 90 95

Leu Thr Gly Val Trp Val Ile Ala His Glu Cys Gly His His Ala Phe 100 105 110

Ser Asp Tyr Gln Trp Leu Asp Asp Thr Val Gly Leu Ile Phe His Ser 115 120 125

Phe Leu Leu Val Pro Tyr Phe Ser Trp Lys Tyr Ser His Arg Arg His 130 135 140

His Ser Asn Thr Gly Ser Leu Glu Arg Asp Glu Val Phe Val Pro Lys 145 150 155 160

Lys Lys Ser Asp Ile Lys Trp Tyr Gly Lys Tyr Leu Asn Asn Pro Leu 165 170 175

Gly Arg Thr Val Met Leu Thr Val Gln Phe Thr Leu Gly Trp Pro Leu 180 185 190

Tyr Leu Ala Phe Asn Val Ser Gly Arg Pro Tyr Asp Gly Gly Phe Ala 195 200 205

Cys His Phe His Pro Asn Ala Pro Ile Tyr Asn Asp Arg Glu Arg Leu 210 215 220

Gln Ile Tyr Ile Ser Asp Ala Gly Ile Leu Ala Val Cys Tyr Gly Leu 225 230 235 240

Tyr Arg Tyr Ala Ala Val Gln Gly Val Ala Ser Met Val Cys Phe Tyr 245 250 255

Gly Val Pro Leu Leu Ile Val Asn Gly Phe Leu Val Leu Ile Thr Tyr 260 265 270

Leu Gln His Thr His Pro Ser Leu Pro His Tyr Asp Ser Ser Glu Trp

		275					280					285				
Asp	Trp 290		Arg	Gly	Ala	Leu 295	Ala	Thr	Val	Asp	Arg 300	Asp	Tyr	Gly	Ile	
Leu 305	Asn	Lys	Val	Phe	His 310	Asn	Ile	Thr	Asp	Thr 315	His	Val	Ala	His	His 320	
Leu	Phe	Ser	Thr	Met 325	Pro	His	Tyr	His	Ala 330	Met	Glu	Ala	Thr	Lys 335	Ala	
Ile	Lys	Pro	Ile 340	Leu	Gly	Glu	Tyr	Tyr 345	Gln	Phe	Asp	Gly	Thr 350	Pro	Val	
Val	Lys	Ala 355	Met	Trp	Arg	Glu	Ala 360	Lys	Glu	Cys	Ile	Tyr 365	Val	Glu	Pro	
Asp	Arg 370	Gln	Gly	Glu	Lys	Lys 375	Gly	Val	Phe	Trp	Tyr 380	Asn	Asn	Lys	Leu	
(2)	II	NFORI	ITAN	ON FO	OR SI	EQ II	ON C	:3:								
(i	•	SEQUI (A) (B) (C) (D)	LENC TYPE STRA	TH:	115 ucle NESS	ERIST 55 ba eic a S: s inea	se p cid singl	airs	3							
(ii) 1	MOLE	CULE	TYPI	E: I	ANC										
(iii	_)]	HYPO'	THET:	ICAL:	: NO)										
(iv	·) i	ANTI-	-SEN	SE:	NO											
(vi		ORIG: (A)				Brass	sica	napu	ıs							
(vii	-	IMMEI (B)	CLON		JRCE: IMC1											
(ix		FEATU (D)		R IN	FORM	IATIC	n:		A ton	at	nucl		.de 3	316		
(xi) :	SEQUI	ENCE	DESC	CRIP	CION:	: SI	EQ II	ONO:	3:						
						ATG Met										48
						CGC Arg										96
						GCA Ala										144

192

ATC CCT CGC TCT TTC TCC TAC CTC ATC TGG GAC ATC ATC ATA GCC TCC Ile Pro Arg Ser Phe Ser Tyr Leu Ile Trp Asp Ile Ile Ile Ala Ser 50 55

					CTC Leu			240
					TGC Cys			288
					GGC Gly			336
					CTC Leu			384
					AGT Ser 140			432
					GTG Val		 	480
					CTC Leu			528
					CTC Leu			576
					GAC Asp			624
					GAC Asp 220			672~
					GTC Val			720
					ATG Met			768
					GTT Val			816
					GAC Asp			864
					AGA Arg 300			912
					CAC His			960

								AAG Lys 335			1008
					-	_	 	 CCG Pro			1056
								GAA Glu			1104
								AAG Lys	TTA Leu	Т	1153
GA											1155

- (2) INFORMATION FOR SEQ ID NO:4:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 384 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:4:

Met Gly Ala Gly Gly Arg Met Gln Val Ser Pro Pro Ser Lys Lys Ser 1 10 15

Glu Thr Asp Asn Ile Lys Arg Val Pro Cys Glu Thr Pro Pro Phe Thr 20 25 30

Val Gly Glu Leu Lys Lys Ala Ile Pro Pro His Cys Phe Lys Arg Ser 35 40 45

Ile Pro Arg Ser Phe Ser Tyr Leu Ile Trp Asp Ile Ile Ile Ala Ser 50 55 60

Cys Phe Tyr Tyr Val Ala Thr Thr Tyr Phe Pro Leu Leu Pro His Pro 65 70 75 80

Leu Ser Tyr Phe Ala Trp Pro Leu Tyr Trp Ala Cys Gln Gly Cys Val 85 90 95

Leu Thr Gly Val Trp Val Ile Ala His Lys Cys Gly His His Ala Phe 100 . 105 . 110

Ser Asp Tyr Gln Trp Leu Asp Asp Thr Val Gly Leu Ile Phe His Ser 115 120 125

Phe Leu Leu Val Pro Tyr Phe Ser Trp Lys Tyr Ser His Arg Arg His 130 135 140


His Ser Asn Thr Gly Ser Leu Glu Arg Asp Glu Val Phe Val Pro Lys 145 150 155 160

Lys Lys Ser Asp Ile Lys Trp Tyr Gly Lys Tyr Leu Asn Asn Pro Leu 165 170 175

- Gly Arg Thr Val Met Leu Thr Val Gln Phe Thr Leu Gly Trp Pro Leu 180 185 190
- Tyr Leu Ala Phe Asn Val Ser Gly Arg Pro Tyr Asp Gly Gly Phe Ala 195 200 205
- Cys His Phe His Pro Asn Ala Pro Ile Tyr Asn Asp Arg Glu Arg Leu 210 215 220
- Gln Ile Tyr Ile Ser Asp Ala Gly Ile Leu Ala Val Cys Tyr Gly Leu 225 230 235 240
- Tyr Arg Tyr Ala Ala Val Gln Gly Val Ala Ser Met Val Cys Phe Tyr 245 250 255
- Gly Val Pro Leu Leu Ile Val Asn Gly Phe Leu Val Leu Ile Thr Tyr 260 265 270
- Leu Gln His Thr His Pro Ser Leu Pro His Tyr Asp Ser Ser Glu Trp 275 280 285
- Asp Trp Leu Arg Gly Ala Leu Ala Thr Val Asp Arg Asp Tyr Gly Ile 290 295 300
- Leu Asn Lys Val Phe His Asn Ile Thr Asp Thr His Val Ala His His 305 310 315 320
- Leu Phe Ser Thr Met Pro His Tyr His Ala Met Glu Ala Thr Lys Ala 325 330 335
- Ile Lys Pro Ile Leu Gly Glu Tyr Tyr Gln Phe Asp Gly Thr Pro Val 340 345 350
- Val Lys Ala Met Trp Arg Glu Ala Lys Glu Cys Ile Tyr Val Glu Pro 355 360 365
- Asp Arg Gln Gly Glu Lys Lys Gly Val Phe Trp Tyr Asn Asn Lys Leu 370 375 380
- (2) INFORMATION FOR SEQ ID NO:5:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 1155 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: DNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (vi) ORIGINAL SOURCE:
 (A) ORGANISM: Brassica napus
- (ix) FEATURE:
 - (D) OTHER INFORMATION: Wild type F form.
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:5:

ATG GGT GCA GGT GGA AGA ATG CAA GTG TCT CCT CCC TCC AAG AAG TCT Met Gly Ala Gly Gly Arg Met Gln Val Ser Pro Pro Ser Lys Lys Ser

1				5					10					15			
											ACA Thr						96
											TGT Cys					1	. 4 4
											ATC Ile 60					1	92
TGC Cys 65	TTC Phe	TAC Tyr	TAC Tyr	GTC Val	GCC Ala 70	ACC Thr	ACT Thr	TAC Tyr	TTC Phe	CCT Pro 75	CTC Leu	CTC Leu	CCT Pro	CAC His	CCT Pro 80	2	40
											TGC Cys					2	88
											GGC Gly					3	36
											CTC Leu					3	84
TTC Phe	CTC Leu 130	CTC Leu	GTC Val	CCT Pro	TAC Tyr	TTC Phe 135	TCC Ser	TGG Trp	AAG Lys	TAC Tyr	AGT Ser 140	CAT His	CGC Arg	AGC Ser	CAC His	4	32
											GTG Val					4	80
											CTC Leu					5	28
		Thr	Val	Met	Leu	Thr	Val	Gln	Phe	Thr	CTC Leu	Gly	Trp	Pro		5	76
											GAC Asp					6	24
											GAC Asp 220					6	72
											GTC Val					7	20
											ATG Met					7	68
GGA	GTC	CCG	CTT	CTG	ATT	GTC	AAT	GGT	TTC	CTC	GTG	TTG	ATC	ACT	TAC	8	16



- (2) INFORMATION FOR SEQ ID NO:6:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 384 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:6:

Met Gly Ala Gly Gly Arg Met Gln Val Ser Pro Pro Ser Lys Lys Ser 1 5 10 15

Glu Thr Asp Thr Ile Lys Arg Val Pro Cys Glu Thr Pro Pro Phe Thr 20 25 30

Val Gly Glu Leu Lys Lys Ala Ile Pro Pro His Cys Phe Lys Arg Ser 35 40 45

Ile Pro Arg Ser Phe Ser Tyr Leu Ile Trp Asp Ile Ile Ile Ala Ser 50 55 60

Cys Phe Tyr Tyr Val Ala Thr Thr Tyr Phe Pro Leu Leu Pro His Pro 65 70 75 80

Leu Ser Tyr Phe Ala Trp Pro Leu Tyr Trp Ala Cys Gln Gly Cys Val 85 90 95

Leu Thr Gly Val Trp Val Ile Ala His Glu Cys Gly His His Ala Phe

105 100 110 Ser Asp Tyr Gln Trp Leu Asp Asp Thr Val Gly Leu Ile Phe His Ser Phe Leu Leu Val Pro Tyr Phe Ser Trp Lys Tyr Ser His Arg Ser His His Ser Asn Thr Gly Ser Leu Glu Arg Asp Glu Val Phe Val Pro Lys 150 Lys Lys Ser Asp Ile Lys Trp Tyr Gly Lys Tyr Leu Asn Asn Pro Leu Gly Arg Thr Val Met Leu Thr Val Gln Phe Thr Leu Gly Trp Pro Leu Tyr Leu Ala Phe Asn Val Ser Gly Arg Pro Tyr Asp Gly Gly Phe Arg Cys His Phe His Pro Asn Ala Pro Ile Tyr Asn Asp Arg Glu Arg Leu Gln Ile Tyr Ile Ser Asp Ala Gly Ile Leu Ala Val Cys Tyr Gly Leu 230 Phe Arg Tyr Ala Ala Gly Gln Gly Val Ala Ser Met Val Cys Phe Tyr Gly Val Pro Leu Leu Ile Val Asn Gly Phe Leu Val Leu Ile Thr Tyr Leu Gln His Thr His Pro Ser Leu Pro His Tyr Asp Ser Ser Glu Trp 280 Asp Trp Phe Arg Gly Ala Leu Ala Thr Val Asp Arg Asp Tyr Gly Ile Leu Asn Lys Val Phe His Asn Ile Thr Asp Thr His Val Ala His His Pro Phe Ser Thr Met Pro His Tyr His Ala Met Glu Ala Thr Lys Ala 330 Ile Lys Pro Ile Leu Gly Glu Tyr Tyr Gln Phe Asp Gly Thr Pro Val Val Lys Ala Met Trp Arg Glu Ala Lys Glu Cys Ile Tyr Val Glu Pro

Asp Arg Gln Gly Glu Lys Lys Gly Val Phe Trp Tyr Asn Asn Lys Leu

- (2) INFORMATION FOR SEQ ID NO:7:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 1155 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: DNA

(ii	.i)	HYPO'	THET	ICAL	: NO)								
(i	v)	ANTI	-SEN	SE:	ИО									
(v	i)	ORIG (A)				Brass	sica	napu	ıs					
(vi	i)	IMME	DIAT			: Q508	3							
(i	x)	FEAT	URE: OTHE	ER IN	NFORM	1ATIC	ON:	muta	ation		svers nucl	lde 5	515	
(x	i)	SEQU	ENCE	DES	CRIP	rion	: S	EQ II	ои с	:7:				
	: Gly	GCA Ala												48
		GAC Asp												96
		GAA Glu 35												144
		CGC												192
	Phe	TAC Tyr												240
		TAC Tyr												288
		GGC Gly												336
		TAC Tyr 115												384
		CTC Leu												432
	Ser	AAC Asn												480
		TCA Ser												528
		ACC Thr												576

			180					182					190				
														TTC Phe			624
TGC Cys	CAT His 210	TTC Phe	CAC His	CCC Pro	AAC Asn	GCT Ala 215	CCC Pro	ATC Ile	TAC Tyr	AAC Asn	GAC Asp 220	CGC Arg	GAG Glu	CGT Arg	CTC Leu		672
														GGT Gly			720
														TTC Phe 255			768
														ACT Thr			816
														GAG Glu			864
														GGA Gly			912
														CAT His			960
														AAG Lys 335			1008
ATA Ile	AAG Lys	CCG Pro	ATA Ile 340	CTG Leu	GGA Gly	GAG Glu	TAT Tyr	TAT Tyr 345	CAG Gln	TTC Phe	GAT Asp	GGG Gly	ACG Thr 350	CCG Pro	GTG Val		1056
														GAA Glu			1104
														AAG Lys	TTA Leu	T	1153

(2) INFORMATION FOR SEQ ID NO:8:

GΑ

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 384 amino acids
 (B) TYPE: amino acid
 (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:8:

1155

ł

Met Gly Ala Gly Gly Arg Met Gln Val Ser Pro Pro Ser Lys Lys Ser Glu Thr Asp Thr Ile Lys Arg Val Pro Cys Glu Thr Pro Pro Phe Thr Val Gly Glu Leu Lys Lys Ala Ile Pro Pro His Cys Phe Lys Arg Ser Ile Pro Arg Ser Phe Ser Tyr Leu Ile Trp Asp Ile Ile Ile Ala Ser Cys Phe Tyr Tyr Val Ala Thr Thr Tyr Phe Pro Leu Leu Pro His Pro Leu Ser Tyr Phe Ala Trp Pro Leu Tyr Trp Ala Cys Gln Gly Cys Val Leu Thr Gly Val Trp Val Ile Ala His Glu Cys Gly His His Ala Phe Ser Asp Tyr Gln Trp Leu Asp Asp Thr Val Gly Leu Ile Phe His Ser Phe Leu Leu Val Pro Tyr Phe Ser Trp Lys Tyr Ser His Arg Ser His 135 His Ser Asn Thr Gly Ser Leu Glu Arg Asp Glu Val Phe Val Pro Lys Lys Lys Ser Asp Ile Lys Trp Tyr Gly Lys Tyr His Asn Asn Pro Leu Gly Arg Thr Val Met Leu Thr Val Gln Phe Thr Leu Gly Trp Pro Leu 185 Tyr Leu Ala Phe Asn Val Ser Gly Arg Pro Tyr Asp Gly Gly Phe Arg Cys His Phe His Pro Asn Ala Pro Ile Tyr Asn Asp Arg Glu Arg Leu Gln Ile Tyr Ile Ser Asp Ala Gly Ile Leu Ala Val Cys Tyr Gly Leu Phe Arg Tyr Ala Ala Gly Gln Gly Val Ala Ser Met Val Cys Phe Tyr 250 Gly Val Pro Leu Leu Ile Val Asn Gly Phe Leu Val Leu Ile Thr Tyr Leu Gln His Thr His Pro Ser Leu Pro His Tyr Asp Ser Ser Glu Trp Asp Trp Phe Arg Gly Ala Leu Ala Thr Val Asp Arg Asp Tyr Gly Ile 295 Leu Asn Lys Val Phe His Asn Ile Thr Asp Thr His Val Ala His His 310 315 Pro Phe Ser Thr Met Pro His Tyr His Ala Met Glu Ala Thr Lys Ala 325 330

(xi)

SEQUENCE DESCRIPTION:

Ile Ly	ys Pro	Ile 340	Leu	Gly	Glu	Tyr	Tyr 345	Gln	Phe	Asp	Gly	Thr 350	Pro	Val	
Val Ly	ys Ala 355		Trp	Arg	Glu	Ala 360	Lys	Glu	Cys	Ile	Tyr 365	Val	Glu	Pro	
Asp An	rg Gln 70	Gly	Glu	Lys	Lys 375	Gly	Val	Phe	Trp	Tyr 380	Asn	Asn	Lys	Leu	
(2)	INFOR	MATI	ON FO	OR SI	EQ II	ОИО	9:								
(i)	(C)		GTH: E: r ANDED	23 nucle NESS	base eic a S: s	e pai cid singl	rs								
(ii)	MOLE	CULE	TYP	Ξ: l	DNA	(gen	omic)							
(xi)	SEQU	ENCE	DESC	CRIP'	rion	: S1	EQ II	ON O	:9:						
CATGG	STECA	CCTC	SAAGA	AA TO	SC .										23
(2)	INFOR	MATI	ON FO	OR SI	EQ II	ОИО	:10:								
(i)	(B) (C)	ENCE LENC TYPI STRA TOPO	STH: E: n ANDEC	21 nucle NESS	base eic a S: s	e pai cid singl	rs								
(ii)	MOLE	CULE	TYPI	Ξ: 1	ANC	(gen	omic)							
(xi)	SEQU	ENCE	DESC	CRIP:	rion	: SI	EQ II	O NO	:10:						
GTTTCT	TTCTT	TGCT'	rcat <i>i</i>	AA C											21
(2)	INFOR	MATI	ON FO	OR SI	EQ II	ON C	:11:								
(i)	(C)		STH: E: n ANDEC	23 nucle NESS	base eic a S: s	e pai cid singl	rs								
(ii)	MOLE	CULE	TYPI	Ξ: 1	ANC	(gen	omic)							
(xi)	SEQU	ENCE	DESC	CRIP'	rion	: Si	EQ II	O NO	:11:						
CATGG	STGCA	GGTG	GAAGA	AA TO	GC										23
(2)	INFOR	MATI	ON FO	OR SI	EQ II	ОИО	:12:								
(i)		LENG TYPI STRA	GTH: E: r	21 nucle ONESS	base eic a	e pai cid singl	rs								
(ii)	MOLE	CULE	TYPI	E: 1	DNA	(gen	omic)							

SEQ ID NO:12:

TCTTT	CACCA TCATCATATC C	21
(2)	INFORMATION FOR SEQ ID NO:13:	
(i)	SEQUENCE CHARACTERISTICS: (A) LENGTH: 19 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	
(ii)	MOLECULE TYPE: DNA (genomic)	
(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:13:	
GTCTG	GGTCA TAGCCCACG	19
(2)	INFORMATION FOR SEQ ID NO:14:	
(i)	SEQUENCE CHARACTERISTICS: (A) LENGTH: 19 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	
(ii)	MOLECULE TYPE: DNA (genomic)	
(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:14:	
GTCTG	GGTCA TAGCCCACA	19
(2)	INFORMATION FOR SEQ ID NO:15:	
(i)	SEQUENCE CHARACTERISTICS: (A) LENGTH: 17 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	
(ii)	MOLECULE TYPE: DNA (genomic)	
(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:15:	
CTGGG:	CCATA GCCCATG	17
(2)	INFORMATION FOR SEQ ID NO:16:	
(i)	SEQUENCE CHARACTERISTICS: (A) LENGTH: 17 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	
(ii)	MOLECULE TYPE: DNA (genomic)	
(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:16:	
CTGGG'	TCATA GCCCACA	17
(2)	INFORMATION FOR SEQ ID NO:17:	
(i)	SEQUENCE CHARACTERISTICS: (A) LENGTH: 5 amino acids (B) TYPE: amino acid	

- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (iii) HYPOTHETICAL: YES
- (iv) ANTI-SENSE: NO
- (v) FRAGMENT TYPE: internal
- (ix) FEATURE:

. }

- (A) NAME/KEY: Modified-site
- (B) LOCATION: 2
- (D) OTHER INFORMATION: /product= "Asp or Glu"
- (ix) FEATURE:
 - (A) NAME/KEY: Modified-site
 - (B) LOCATION:
 - (D) OTHER INFORMATION: /product= "Ala or Gly"
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:17:

His Xaa Cys Xaa His 1 5